

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## BPC-157 - 10mg

**PASS**



**Tested for: NextGen Peptides**  
www.NGpeptide.com

COA #: **COA-2026-6REY7K**  
Lot Number: **BC10-07**  
Accession #: **ACC-2026-1768**  
Concentration: **10mg**  
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**  
Analysis Date: **05/07/2026**  
Appearance: **Good**  
Volume: **3mL**  
Received: **05/01/2026**



Scan to verify  
authenticity at ils-lab.com

Identity

**BPC-157**

Purity

**99.28%**


### Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	<b>99.28%</b>	%	<b>PASS</b>
Net Peptide Content	Report Only	<b>10.41</b>	mg	N/A

### Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Identity (ID)	BPC-157	<b>Confirmed</b>	-	<b>PASS</b>

### HPLC Chromatogram



BPC-157 10mg - BC10-07: UV Chromatogram




**Dr. Greg Kalyuzhny**  
Lab Director  
5/7/2026

COA #: **COA-2026-6REY7K**  
Access Code: **BDXOQBEA**  
Verify: [portal.ils-lab.com/verify/I8N6oZpoU15Mm6rh](https://portal.ils-lab.com/verify/I8N6oZpoU15Mm6rh)  
Issued: 5/7/2026

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## BPC-157 - 10mg

**PASS**



**Tested for: NextGen Peptides**  
www.NGpeptide.com

COA #:	<b>COA-2026-6REY7K</b>	Method:	<b>Full QC Panel</b>
Lot Number:	<b>BC10-07</b>	Analysis Date:	<b>05/07/2026</b>
Accession #:	<b>ACC-2026-1768</b>	Appearance:	<b>Good</b>
Concentration:	<b>10mg</b>	Volume:	<b>3mL</b>
Sample Matrix:	<b>Lyophilized</b>	Received:	<b>05/01/2026</b>



Scan to verify  
authenticity at ils-lab.com

### Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

### Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

### Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	0.117 EU/mL		PASS

### Notes & Methodology

- Date Tested: 05/07/2026. Methods: Full QC Panel; Purity & Quant (HPLC).
- The sample was confirmed to be BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.




**Dr. Greg Kalyuzhny**  
Lab Director  
5/7/2026

COA #: **COA-2026-6REY7K**  
Access Code: **BDXOQBEA**  
Verify: [portal.ils-lab.com/verify/I8N6oZpoU15Mm6rh](https://portal.ils-lab.com/verify/I8N6oZpoU15Mm6rh)  
Issued: 5/7/2026