

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-3 - 30mg

Tested for: NextGen Peptides

PASS

COA #: **COA-2026-N3Y7UB**
Lot Number: **RT30-6173**
Concentration: **30mg**
Received: **04/08/2026**

Method: **Full QC Panel**
Analysis Date: **04/16/2026**
Appearance: **Good**
Volume: **3mL**



Scan to verify
authenticity at ils-lab.com

Identity

GLP-3

Purity


99.96%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.96%	%	PASS
Net Peptide Content	Report Only	31.49	mg	N/A
Identity (ID)	Retatrutide	Confirmed	-	PASS
Sterility (PCR)	No Growth	No Growth	-	PASS
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Date Tested: 04/16/2026 | Method: Full QC Panel

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.77% purity, closest to batch mean of 99.77%)

The sample was confirmed to be GLP-3 by HPLC. Identification by chromatographic retention time comparison with a reference standard.



GLP-3 30mg - RT30-6173




Dr. Greg Kalyuzhny
Lab Director
4/16/2026

COA #: **COA-2026-N3Y7UB**
Access Code: **OPUVGWWW**
Verify: portal.ils-lab.com/verify/NZrWxt6YKYYUjIQF
Issued: 4/16/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-3 - 30mg

Tested for: NextGen Peptides

PASS

COA #: **COA-2026-N3Y7UB**
 Lot Number: **RT30-6173**
 Concentration: **30mg**
 Received: **04/08/2026**

Method: **Full QC Panel**
 Analysis Date: **04/16/2026**
 Appearance: **Good**
 Volume: **3mL**



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Elemental impurities analyzed by Inductively Coupled Plasma Mass Spectrometry (ICP-MS) per USP <233> methodology.

Conformity Testing Results (4 samples tested)

Sample	Purity	Net Content	ID	Result
Dedicated V0	99.96%	31.49 mg	Confirmed	PASS
Conformity V1	99.77%	31.43 mg	Confirmed	PASS
Conformity V2	99.72%	31.41 mg	Confirmed	PASS
Conformity V3	99.63%	31.38 mg	Confirmed	PASS
Mean	99.77%	31.43 mg	—	—
Std Dev	0.1206%	0.0402 mg	—	—

Representative chromatogram, Conformity V1 (99.77% purity, closest to batch mean of 99.77%)




Dr. Greg Kalyuzhny
Lab Director
4/16/2026

COA #: **COA-2026-N3Y7UB**
 Access Code: **OPUVGWWW**
 Verify: <portal.ils-lab.com/verify/NZrWxt6YKYYUjIQF>
 Issued: 4/16/2026